

International Journal of Engineering & Technology

Website: www.sciencepubco.com/index.php/IJET

Research paper



The using CASE tools in the software development life cycle

Rustam A. Burnashev¹, Arslan I. Enikeev¹

¹Kazan Federal University *Corresponding author E-mail: r.burnashev@inbox.ru

Abstract

In article we give a review of the implemented CASE tool, the essence of which is to identify the necessary system properties of the software and hardware applications to provide customers with the best option that best suits their needs. The CASE tool uses telemetry, allowing developers to remotely identify and process the required characteristics of workstations by their software and hardware parts on the network. The received characteristics about workstations allow the developer to make a decision in the choice of technologies and tools in the design and development of the future software products. These apparatuses shape an incorporated advancement condition permitting the PC helped improvement of various applications in the proper field. The coordinated condition which we consider in our report speaks to the blend of SWI-PROLOG, C# and Information Base Administration Framework (DBMS) PostgreSQL. Because of the examination we got the most fundamental and imperative qualities of workstations that influence the incorporation and usage of programming item.

Keywords: CASE tools, C#, SWI-PROLOG and PostgreSQL database management system, software, expert system

1. Introduction

The report presents one of the implemented CASE tools, which can act as a central link in real-time communication between the developer and the customer and will serve as a driver for quick and correct workplace automation.

The CASE tool uses telemetry, allowing developers to remotely identify and process the required characteristics of workstations by their software and hardware parts on the network.

The incorporated advancement condition incorporates:

- SWI-PROLOG
- C#
- XPCE for the illustrations part
- ODBC Driver PostgreSQL DBMS
- PostgreSQL

SWI-PROLOG is an open arrival of Prolog. Being framed from the underlying information as a chain of thinking (choice standards) from the learning base ES can-settle on a choices in one of a kind circumstances for which the calculation isn't known in promotion vance. In addition, issue arrangement is required to be done in conditions where the underlying data is deficient, questionable, and equivocal, amid subjective process evaluation [1]. PROLOG apparatuses have all the earmarks of being the most fitting to the arrangement of the previously mentioned issues. To create designs applications, the SWI-PROLOG circulation bundle incorporates devices that empower the improvement of a graphical UI. These devices for SWI-PROLOG are given by XPCE.

2. Methods

The object of the research is the development of a specialized CASE tool using telemetry, which provides the collection and analysis of characteristics for each computer individually over a computer network, and also interconnected by one local network of computers in the enterprise.

Compatibility is the ability of different objects, hardware or software components to communicate with each other successfully. An application of telemetry allows developers in real time to obtain information about all workstations where an appropriate software product will be installed using mass media such as telephone or computer networks, optical fiber or other types of wire communication about the required values of the measured characteristics of the hardware and software.

The environment architecture (Figure 1) assumes the use of a client-server application responsible for sending, collecting and further processing data





Consider the main elements of the client server application: • Client includes:

- 1) Installation program
- 2) Configuration:
- a) data for authorization
- b) Name and subdivision of the organization
- Server (Fig.2 Developer Interface) includes:
- 1) Authorization
- 2) Storage of characteristics
- 3) Filtering requests

[Name] Динные о кон	ипьютерах Организая	им Разработчики			Профиль Выход
 организация 					
Режим редактирования	Настройки *			Помок	٩
Почта	Пароль	Организация Интервал оканарования	Подразделение Интервал сканирования	Огдел Интервал сканировання	
example@mail.com	password	Opranetaujes 1 20 Meter	Подразделение 1 20 мот	Organ 1 20 Januar Organ 2 20 Januar	
example@mail.com	password	Организация 1 20 мнн	Подразделение 1 20 мен	Organ 1 20 More Organ 2 20 More	
example@mail.com	password	Opranecaujes 1 20 milie	Подразделение 1 20 млн	Organ 1 20 Marin Organ 2 20 Marin	
			* 1 2 3 25 *		

Fig.2. Developer interface

Software developers in order to achieve the set tasks are offered an extensive selection of necessary characteristics for workstations in the network.

The collection is carried out according to the following key characteristics (Fig. 7 Interface with characteristics):

- 1) Operating system (version, discharge, last update)
- 2) RAM (memory data)
- 3) ROM (list of available disks and memory data)
- 4) .NET Framework (version information)
- 5) Installed browsers (version information)
- 6) GPU (frequency, memory)
- 7) CPU (frequency, core, cache)
- 8) Sound Card
- 9) Network Card
- 10) Universally unique identifier
- 11) Microsoft Office (version information)
- 12) IP address and computer name in the network, etc.

Keeping in mind the end goal to collaborate and oversee XPCE objects from inside the SWI-PROLOG part condition, the important predicates are added to the program [2], for example,

- new (? Reference, + Class (... Arg ...))
- send (+ Reference, + Strategy (... Arg ...))
- get (+ Reference, + Strategy (... Arg ...), Result)
- free (+ Reference)

ODBC (Open Database Network) is an application interface (Programming interface) for giving access to databases (a MI-CROSOFT item). So as to access to the database, it is important to choose the information source in the "Information source director" window.

			Трассировка Пул соединений		1	0 программе	
			Ronubosementucional DSN	Circrement DSN	Файловый DSN	Драленры	
			Источники данных пользователя				
		_	Иня Платео	ома Драйвер		Добавить	
ontgreSQL ANSI ODBC Driver (psqIODBC) Setup			dBASE Files 64-pasp Excel Files 64-pasp MS Access Database 64-pasp	ядная версия Microsoft Acc ядная версия Microsoft Exc ядная версия Microsoft Acc	cess dBASE Drive cel Driver ("xis, "x cess Driver ("mdb	Удалить	
lata Secore Desta (Still Desta)	Description		Postgre/SQLProlog 64-pasp Visio Ustabase Samples 64-pasp	Ravas sepciva PostgreSQLC Ravas sepciva Microsoft Acc	COBC Driver(ANS cess Linver (".mdb	Hactpolika	
Database Projectiace	SSL Mode disable	~					
Server 127.0.0.1	Port 5432						
User Name postgres	Password]	¢		>		
		Test	Пользовательский ист указанному поставшия	точник данных ООВС сокран ку данных. Попьзователься	яет сведения о том, к кий источник данных і	ак подключиться к враяется видиным	
Options		and the second se	and the second second second second		because of the article of the best of		

Fig. 1. ODBC Data Source Administrator.

As the aftereffect of initial step of the exploration we have built up an information base and devices for the choice of information from databases utilizing the intelligent programming dialect SWI-PROLOG and DBMS PostgreSQL.

3. Results and Discussion

The accompanying fundamental capacities were created, which empower work with PostgreSQL DBMS inside SWI-PROLOG [3]:

- Connecting to a Database Server
- Disconnecting from the database server
- Getting the rundown of tables from the associated database
- Get the rundown of segments from this table
- Retrieve all records from indicated table

□ Receiving a record from current table with a predetermined UUID

Selection of table records for a predetermined channel.

3.1 Universally Unique Identifier

A general one of a kind identifier (UUID) is a 128-piece number used to recognize data in PC frameworks. The term worldwide one of a kind identifier (GUID) is additionally utilized. At the point when made as per standard techniques, UUIDs are remarkable for pragmatic purposes, free of their uniqueness in the focal enrollment specialist or coordination between the gatherings making them, not at all like most other numbering plans. Despite the fact that the probability of copying the UUID isn't zero, it is adequately near zero to be irrelevant. Subsequently, the data assigned by the UUID by autonomous gatherings can be later consolidated into a solitary database or transmitted along a similar channel without the requirement for settling clashes between identifiers. The reception of UUID and GUID is far reaching: many processing stages bolster their age and examination of their printed portraval.

Particularly recognizing (physical or virtual) protests by methods for a double string (called identifier) is an inherent necessity for any advanced IT-framework. Along these lines, the fundamental prerequisite for these identifiers is very self-evident: Inside the life-time of the framework, two distinct items must not hold a similar identifier. Something else, the framework won't have the capacity to recognize these articles, which may prompt framework disappointments or security breaches[9].

On the premise on directed research the accompanying GUI was created:







Fig.4. Downloading from database form

4. Summary

The prototype of the expert system acts as an expert, which, based on the received characteristics of the computer network, ensures the correct choice of software tools and technologies for the software developer, which will be applied to it and will ensure the correctness and quality of the software product [4].

The program characteristic is a concept of reflecting the manifestation of a separate measurable factor. In other words, a characteristic is a manifested and measurable attribute of a property. The measurement (evaluation) of one or more characteristics of the program.

Each property corresponds to one or more characteristics of the software.

To solve the problem of quantifying the characteristics of software we need a system of measurement and evaluation methods.

Quality management assumes the possibility of an independent control over the development of the PS. Control design elements are in the process of PS control.

To carry out the logical part of the study, the logical programming language SWI Prolog, the XPCE graphical library and the PostgreSQL DBMS, were used to dynamically process data on the facts of the workstation characteristics and knowledge base rules.

The prototype of the expert system acts as an expert, which, according to the characteristics of the computer network, gives an optimal choice of software tools and technologies to the software developer, who will then apply it and ensure the correctness and quality of the software. As a result of the research we received the most necessary and important characteristics of workstations that affect the integration and implementation of information systems.

Организ	Oprawnauwr • Dogonans • Orans • Orans •									прос 🔳 Фильтры	
Ownampl#											
Ownersdiple Ownerple Ownerple Ownerple Ownerple											
🖩 Показать неудовлеторяющие Вна: Таблица 🗍 Настройон *											
ip •	oc	Браузеры	Microsoft Office	CPU vactora / ngpa / ksui	GPU частота / память	039	ПЗУ свободно / занято	Sound Card	Network Card	Разрешение экрана	Подкоченные устройства
10.0.4 5	Windows 7	Chrome 3.5 Firefox 2.0	Microsoft Office Word 2013	1.6 Mu, 2, 3 M6	300 MFu, 1024 M6	216	16 Fő/ 112 Fő	Heltheck	Netboot	1280x720	Mouse, Keyboard,
10.0.4 5	Windows 7	Chrome 3.5 Firefox 2.0	Microsoft Office Word 2013	1.6 Mu, 2, 3 M6	300 MFig. 1024 M6	216	16 F6/ 112 F6	Heitheck	Netboot	1280x720	Mouse, Keyboard,
1.0.0.4 5	Windows 7	Chrome 3.5 Firefox 2.0	Microsoft Office Word 2013	1.6 Mu, 2, 3 M6	300 MFu, 1024 M6	216	16 F6/ 112 F6	Heitheck	Netboot	1280x720	Mouse, Keyboard,
1.0.0.4 5	Windows 7	Chrome 3.5 Firefox 2.0	Microsoft Office Word 2013	1.6 FFu, 2, 3 M6	300 MFu, 1024 M6	216	16 Fő/ 112 Fő	Heitheck	Netboot	1280x720	Mouse, Keyboard,
1.0.0.4 5	Windows 7	Chrome 3.5 Firefox 2.0	Microsoft Office Word 2013	1.6 Mu, 2, 3 M6	300 MFtb 1024 M6	216	16 F6/ 112 F6	Heitheck	Netboot	1280x720	Mouse, Keyboard,
					- 1 2 3	. 25					

Fig. 5. Interface with characteristics

An application of specialized CASE (Computer-Aided System Engineering) tools can provide a reliability and quality of SP, since one of the main functional advantages of this technology is automation of the entire technological process of analysis, design and maintenance of software systems. Also, one of the main advantages of CASE tools is the support of the collective work of experts, engineers, subject experts, and the users themselves over the project during the life cycle of the software. In this regard, ensuring the quality and reliability of the software product is one of the most crucial problems in the field of technologies for the development of software systems.

4.1 The Algorithm Work

1. The project collects information about the software and hardware device using System.Management 2. The collected information is stored in the RAM using the project structure (classes, objects, etc.) ///<summary> /// List of Central Processing Units ///</summary> publicstaticIEnumerable<Components.CentralProcessingUnit> **CPUs** get var searcher = newManagementObjectSearcher ("root\\CIMV2", "SELECT FROM Win32_Processor"); foreach (varcpuinsearcher.Get()) yieldreturnnewComponents.CentralProcessingUnit((ManagementObject)cpu); } } } 3. The information structure is serialized to the JSON for-

mat using Newtonsoft.Json, which uses reflection varjson = JsonConvert.SerializeObject(new

```
cpus = PCData.Hardware.CPUs,
```

```
gpus = PCData.Hardware.GPUs,
```

monitors = PCData.Hardware.Monitors,

networkadapters = PCData.Hardware.NetworkAdapters,

```
rammodules = PCData.Hardware.RAMModules,
```

```
romdisks = PCData.Hardware.ROMDisks,
```

```
soundadapters = PCData.Hardware.SoundAdapters,
```

OS = newPCData.Software.OS(),

software = PCData.Software.All

```
}, serializerSettings);
```

SendResponse(Client, json);

The JSON structure is sent to the server as an HTTP 4. request (Fig.6. Software and hardware characteristics)

MainForm Software or hardware Category SOFTWARE -ΔII Analyze 🗆 all Python 3.6.1 Documentation (32-bit): 20170410 Python 3.6.1 Add to Path (32-bit): 20170410 Python 3.6.1 Tcl/Tk Support (32-bit): 20170410 Recovery for Word 5.0.19634.2 Demo License: 20170203 Visual Prolog 7.5 Personal Edition: 20160407 Python 3.6.1 Executables (32-bit): 20170410 Python 3.6.1 Test Suite (32-bit): 20170410 Python 3.6.1 Utility Scripts (32-bit): 20170410 Python 3.6.1 Development Libraries (32-bit): 20170410 Python 3.6.1 pip Bootstrap (32-bit): 20170410 rd214-remote: 20161217 Python 3.6.1 Core Interpreter (32-bit): 20170410 Microsoft Help Viewer 1.0 Language Pack - RUS: 20161206 Python 3.6.1 Standard Library (32-bit): 20170410 Microsoft Office Enterprise 2007: 20160329 Microsoft Office OneNote MUI (Russian) 2007: 20160329 Microsoft Save as PDF or XPS Add-in for 2007 Microsoft Office programs: 20170302 Microsoft Office InfoPath MUI (Russian) 2007: 20160329 Microsoft Office Access MUI (Russian) 2007: 20160329 Microsoft Office Excel MUI (Russian) 2007: 20160329 Microsoft Office PowerPoint MUI (Russian) 2007: 20160329 Microsoft Office Publisher MUI (Russian) 2007: 20160329

Fig.6. Software characteristics



Fig.7. Hardware characteristics

5. Conclusions

The prototype of the expert system acts as an expert, which, according to the characteristics of the computer network, gives an optimal choice of software tools and technologies to the software developer, who will then apply it and ensure the correctness and quality of the software. As a result of the research we received the most necessary and important characteristics of workstations that affect the integration and implementation of information systems.

Acknowledgements

The work is performed according to the Russian Government Program of Competitive Growth of Kazan Federal University.

References

[1] P. Habarov: PROLOG – The language of Intelligent and expert systems development: a study guide. SPGLTU, Saint-Petersburg, 2013.

- [2] Burnashev, R.A., Gubajdullin, A.V., Enikeev, A.I. Specialized Case Tools for the Development of Expert Systems/ Advances in Intelligent Systems and Computing/Volume 745, 2018, P.- 599-605
- [3] Zainullina A. R., Larionov G. V., Burnashev R. A., Development of the Prototype Expert System Data Base Recommender//Journal Of Fundamental And Applied Sciences. - 2017. - Vol.9, Is.. - P.1417-1429.
- [4] Yuriy F. Telnov: Intelligent information systems. Moscow International Institute of Econometrics, Computer Science, Finance and Right. Moscow, 2004.
- [5] Hausi A. Muller, Ronald J. Norman, Jacob Slonim: Computer Aided Software Engineering, Springer US,1996
- [6] Kamalov A.M, Burnashev R.A., Development of the Expert System Prototype «Medexpert» for Differential Disease Diagnostics // Astra Salvensis. – 2017. – Vol.2017, Is.. – P.55–64.
- [7] Salahaldin Juba, AchimVannahme, Andrey Volkov "Learning PostgreSQL", Packt Publishing Ltd, 2015
- [8] Jeremy Keith, «HTML5 for Web Designers», A Book Apart, 2015
- [9] M. Schaffer, P. Schartner, and S. Rass. Universally Unique Identifiers: How to ensure Uniqueness while Preserving the Issuer's Privacy. In S. Alissi and H. R. Arabnia, editors, Proceedings of the 2007 International Conference on Security & Management – SAM'07, pages 198–204. CSREA Press, 2007.